

題名 ISWI Newsletter – Vol. 5 No. 036  
差出人 maeda@serc.kyushu-u.ac.jp

```

*****
* ISWI Newsletter – Vol. 5 No. 036                               16 March 2013 *
*                                                                 *
*       I S W I = International Space Weather Initiative         *
*                   (www.iswi-secretariat.org)                   *
*                                                                 *
* Publisher:      Professor K. Yumoto, ICSWSE, Kyushu University, Japan *
* Editor-in-Chief: Mr. George Maeda, ICSWSE (maeda[at]serc.kyushu-u.ac.jp)*
* Archive location: www.iswi-secretariat.org (maintained by Bulgaria) *
*   [click on "Publication" tab, then on "Newsletter Archive"] *
* Caveat: Under the Ground Rules of ISWI, if you use any material from *
*   the ISWI Newsletter or Website, however minor it may seem *
*   to you, you must give proper credit to the original source. *
*****

```

Attachment(s):

(1) "status\_39\_20130315\_V0", 1 MB pdf, 10 pages.

```

-----
:                               Re:
:                               e-Callisto Status Report #39
:

```

Dear ISWI Participant:

I attach the latest e-Callisto status report from Zurich.  
It contains two exciting news items:

1.  
Callisto NA-014 in Roswell, New Mexico, USA, is up and running -- and this makes the network's global coverage complete. The PI says "champagne celebration" is appropriate for this big milestone in the history of e-Callisto. Christian: You have my most heartfelt congratulations on this wonderful achievement in terms of ground-based global radio observation of the sun. My hat is off to you. With scant resources you are delivering fantastic results. I know you have worked hard, have travelled many miles, and have given scores of talks to get the network to this level of deployment. It is perhaps about time that the Swiss Government recognizes your contribution to science and international cooperation with a major award.

2.  
M-flare of 2013-03-15 (which is yesterday) produced nice burst activity after a prolonged period of tranquility. See the attached report for details.

-----

If your ISWI instrument array is producing some interesting results, please let us know. We are all curious.

Most cordially yours,  
: George Maeda  
: The Editor  
: ISWI Newsletter



## e-Callisto status report/news-letter #39

### 100 % coverage after 11 years of this IHY2007 and ISWI related project:

A new Callisto system NA-014 (North American version of Callisto) has recently been deployed in Roswell New Mexico, USA. The instrument was installed and configured by Stan Nelson KB5VL funded by his own means. The instrument was built and tested by non-profit company Witham Reeve in Anchorage Alaska, according to the documentation on our instrument website.

For more information got to: <http://www.reeve.com/Solar/e-CALLISTO/e-callisto.htm>

For more information about Callisto itself go to: <http://e-callisto.org/>



Fig. 1: The antenna is a commercial LPDA (Logarithmic Periodic Dipole Array) from CREATE CLP5130-1N on top of a pole. The antenna is connected to a low noise preamplifier Mini-Circuits ZX60-33LN with about 20 dB of gain and ~1.1 dB of noise figure (TMA Tower Mounted Amplifier from W. Reeve in Anchorage). Data files (ROSWELL-NM\*.fit) are already transferred in real time to the e-Callisto data archive at FHNW (Fachhochschule Nordwestschweiz) in Switzerland.

### **Welcome Roswell on board of the e-Callisto network!**

Roswell is a very important node in the e-Callisto network together with Anchorage and Mexico. They mainly cover the American/Pacific region of the network. With this station we get now 100% coverage assuming all instruments are working as expected. I hope we soon can get some more instruments in this area (Hawaii-Washington and Peru – Cuba) to get some redundancy in time and frequency. Also Ecuador and/or Uruguay and/or Argentina would be of great value for the network. Unfortunately we don't get data from Callisto-instruments in Costa Rica and Brazil. They

would really help to get more redundancy in solar radio observations and rfi-monitoring. Sadly, the funding situation is very bad to support redundant stations in view of ISWI and/or outreach activities.




Fig. 2: Coverage for solar radio observation in Roswell NM, USA. Blue area: instruments can 'see' the sun while the white area shows the data-time-region with no observations. It perfectly compensates the missing area from the European-Asian region.




Fig 3: Current distribution of instruments. Red triangles denote to observatories which provide data to the network. Orange stars denote to observatories which do not yet or do not anymore provide data.





Fig. 4: 1<sup>st</sup> light depicting a solar noise storm (type I burst) at the station of Stan Nelson in Roswell. The interference level in this band is extremely low; we only 'see' some blips from a remote sensor at 435 MHz.



**M-flare of 2013-03-15 produces nice burst activity after a long period of silence:**



Updated 2013 Mar 15 08:15:12 UTC

NOAA/SWPC Boulder, CO USA

Fig. 5: X-ray activity around 6 o'clock UT on March 15<sup>th</sup>. This x-ray event is connected to quite some solar radio activity, see plots below observed at different stations of the e-Callisto network.




Fig. 6: Two hours of observation at Bleien observatory. Strong activity mainly in LHCP. RHCP burst activity is relatively low. Blue color means no burst, only background noise. Red means hot and yellow denotes to very hot radiation. Horizontal structures denote to strong local radio interference from DVB-T.



Following plots show only 15 minutes of the 'hottest' part of the radio burst observed at different locations of the e-Callisto network. Only those data are shown which were available on March 15<sup>th</sup>. Some other files (India, Finland, South Korea etc.) will arrive later this week.

Be aware that the frequency ranges differ from station to station, so the y-ranges are not comparable. In all SSWIDL plots an statistical background  $\{zz = \text{constbacksub}(z, /auto)\}$  has been subtracted.

Also the data quality is varying extremely due to the following facts:


- Antennas have different gain
- Many antennas do NOT track the sun, therefore low intensity when burst is out of the beam
- Not all low noise pre-amplifiers have the same sensitivity or gain-variations
- Radio interference is very local and so very different. Some are very noisy, others are very clean.

This is a big advantage of the e-Callisto network; the scientist can choose the best quality data out of the network.










Callisto Alcalá, Spain



Callisto Humain, Belgium










AOB:

CALLISTO or Callisto denotes to the spectrometer itself while e-Callisto denotes to the worldwide network.

Please do not respond to the email-address of the list-server, respond instead directly to me (address below). If you do not want to receive this news-letter please send me an email and I'll take your address out of the data base. On the other hand if you think someone else might be interested in this kind of info, please let me know his/her email-address to be added to the data base.

*Christian Monstein, Institute for Astronomy, ETH Zurich, Switzerland. email: [monstein\(at\)astro.phys.ethz.ch](mailto:monstein(at)astro.phys.ethz.ch)*



This pdf circulated in  
Volume 5, Number 36,  
on 16 March 2013.