

題名 ISWI Newsletter – Vol. 4 No. 79
差出人 maeda@serc.kyushu-u.ac.jp

* ISWI Newsletter – Vol. 4 No. 79 05 July 2012 *
* *
* I S W I = International Space Weather Initiative *
* (www.iswi-secretariat.org) *
* *
* Publisher: Professor K. Yumoto, ICSWSE, Kyushu University, Japan *
* Editor-in-Chief: Mr. George Maeda, ICSWSE (maeda[at]serc.kyushu-u.ac.jp)*
* Archive location: www.iswi-secretariat.org (maintained by Bulgaria) *
* [click on "Publication" tab, then on "Newsletter Archive"] *
* Caveat: Under the Ground Rules of ISWI, if you use any material from *
* the ISWI Newsletter or Website, however minor it may seem *
* to you, you must give proper credit to the original source. *

Attachment(s):

(1) "New space weather award", 1 MB pdf, 4 pages.

: Re:
: New space weather award, from AGU
: - 10,000 USD Cash Prize -
:

Dear ISWI Participant:

Details on this award are on the third page of the attached 4-page pdf.
This award is funded by Bruce Tsurutani and Olga Verkhoglyadova
(both with NASA-JPL).

This pdf was scanned from the following periodical:

: Space Weather Quarterly
: EDITOR:
: Louis J. Lanzerotti
: Center for Solar-Terrestrial Research
: New Jersey Institute of Technology
: Newark, New Jersey, USA.

Cover page is the first page of the attached pdf.

One hundred issues of this journal were distributed for free during the
recent radiation belts and space weather conference in Daejeon, Korea.
It was organized by KASI.

Cordially and respectfully yours,

: George Maeda
: The Editor
: ISWI Newsletter

Space Weather



Volume 9, Issue 1, 2012 www.agu.org/journals/spaceweather

QUARTERLY

THE INTERNATIONAL JOURNAL OF RESEARCH AND APPLICATIONS

National Response to a Severe Space Weather Event

Meeting:

U.S.-U.K. Space Weather
Workshop

Feature:

Five Centuries of Exploration:
From Distant Shores
to Distant Planets

Technical:

Evaluation of OVATION Prime
as a Forecast Model
for Visible Aurorae

Small Businesses and Space Weather Products

Small businesses have long been interested in providing space weather services to government and industry. Representatives from many of these entrepreneurial enterprises meet informally at the annual workshop sponsored by NOAA's Space Weather Prediction Center (SWPC). There they have the opportunity to discuss with SWPC leadership the obstacles they face when designing and delivering data and products for use in ground- and space-based technical systems. In April 2011, five of these small businesses formed the American Commercial Space Weather Association (ACSWA), and the importance of this action was commented on in this column (see *Space Weather*, 9, S05002, doi:10.1029/2011SW000692).

In late September 2011, NOAA announced Phase I of its Small Business Innovation Research (SBIR) solicitation for Fiscal Year 2012, which contains a subsection titled "Reducing Impact of Severe Space Weather on Global Positioning Satellite (GPS) Satellite Signal Users." The summary of this subsection begins by stating that the "Nation's critical infrastructure and economy are increasingly dependent on high accuracy GPS positioning, navigation, and timing services" and goes on to note that severe space weather conditions can result in the degradation and/or disruption of GPS signals, causing denial of service to a wide range of users, including those involved in farming, resource exploration, shipping, and various types of transportation. Space Weather has published a number of papers

over the past few years that directly address the potential for widespread failure of GPS services as well as the likely causes and consequences of such an event.

SWPC currently has no operational product(s) capable of forecasting ionospheric conditions that might result in a denial of service from GPS. Thus, the solicitation seeks to fund Phase I SBIR activities that will address this lack. Phase I seeks to promote development of concepts and designs that, in Phase II, could become viable products for prediction, now-casting, and detecting disturbances or hazardous conditions in the ionosphere.

This SBIR initiative is a welcome development for the entire field of space weather research and applications. As the formation of the ACSWA demonstrates, there are small enterprises in the United States that are eager to apply fresh thinking, as well as innovative ideas and concepts, to pressing commercial and governmental needs. I look forward to following the progress of the NOAA SBIR program in space weather, and I anticipate that it will be highly successful.

Louis J. Lanzerotti is editor of Space Weather and a distinguished research professor of physics at the New Jersey Institute of Technology, in Newark (ljl@njit.edu).

Citation: Lanzerotti, L. J. (2012), Small Businesses and Space Weather Products, *Space Weather*, 10, S02010, doi:10.1029/2012SW000774.

EDITOR

Louis J. Lanzerotti, Center for Solar-Terrestrial Research, New Jersey Institute of Technology, Newark (ljl@adm.njit.edu)

EDITORIAL ADVISORY BOARD

Daniel N. Baker, University of Colorado, Boulder
David H. Boteler, Geological Survey of Canada, Ottawa, Ontario

Volker Bothmer, Institut für Astrophysik, Göttingen, Germany

Norma B. Crosby, Belgian Institute for Space Aeronomy, Brussels, Belgium

Gene M. Fisher, NOAA, Washington, D. C.

Richard R. Fisher, NASA Headquarters, Washington, D. C.

John G. Kappenman, Storm Analysis Consultants, Duluth, Minn.

Ryuhō Kataoka, Tokyo Institute of Technology, Tokyo, Japan

Joseph E. Mazur, The Aerospace Corporation, Chantilly, Va.

Robert P. McCoy, Office of Naval Research, Arlington, Va.

Hermann J. Opgenoorth, Swedish Institute of Space Physics, Uppsala, Sweden

Robert M. Robinson, National Science Foundation, Arlington, Va.

Howard J. Singer, NOAA Space Weather Prediction Center, Boulder, Colo.

Phil Wilkinson, IPS Radio and Space Services, Haymarket, New South Wales, Australia

DIRECTOR OF PUBLICATIONS

William J. Cook

MAGAZINE STAFF

Manager, Journals Production

Randy Townsend (rtownsend@agu.org)

Editorial Services Manager

Victoria Forlini (vforlini@agu.org)

Science Writer/Editor

Mohi Kumar (mkumar@agu.org)

Writer/Editor

Ernie Balcerak (ebalcerak@agu.org)

Editor's Assistant

Jenny Solecki (jsolecki@agu.org)

Copy Editors

Don Hendrickson (dhendrickson@agu.org)

Mary Tonkinson (mtonkinson@agu.org)

Creative Services Manager

Brian Kelm (bkelm@agu.org)

Graphic Design and Layout

Robbie Chester (rchester@agu.org)

Travis Frazier (tfrazier@agu.org)

Space Weather Quarterly is a digest of selected articles published online in *Space Weather: The International Journal of Research and Applications* (<http://www.agu.org/journals/spaceweather>).

Space Weather Quarterly (ISSN 1539-4964) is published quarterly by the American Geophysical Union, 2000 Florida Ave., NW, Washington, DC 20009, USA.

POSTMASTER: Send address changes to Member Service Center, 2000 Florida Ave., NW, Washington, DC 20009, USA.

© 2012 American Geophysical Union. Material in this issue may be photocopied by individual scientists and engineers for research or classroom use. For permission for any other use, contact the Editorial Office at spaceweather@agu.org.

Advertising: Tel: +1-202-777-7536; E-mail: advertising@agu.org

Change of address: Contact the Member Service Center 8:00 A.M. – 6:00 P.M. Eastern time; Tel: +1-202-462-6900; +1-800-966-2481; Fax: +1-202-328-0566; E-mail: service@agu.org

Views expressed in this publication do not necessarily reflect official positions of the American Geophysical Union unless expressly stated.



YOUNG JUAN

New Award to Recognize Outstanding Research in Space Weather and Nonlinear Waves and Processes

In early 2013, AGU will begin accepting nominations for a new award that recognizes excellence in research involving space weather as well as nonlinear waves and processes.

The award, called the Space Weather and Nonlinear Waves and Processes Prize, will be given every 2 years and will alternate in focus. The first award, to be presented at AGU's 2013 Fall Meeting, will recognize an outstanding contribution to space weather research made by an AGU member; the second award, to be presented in 2015, will recognize a significant contribution to the field of nonlinear waves and processes by an AGU member. AGU's Space Physics and Aeronomy Section and the Nonlinear Geophysics Focus Group, will jointly administer the award.

The prize carries a \$10,000 cash award and is funded by Bruce Tsurutani and Olga Verkhoglyadova, both AGU members and scientists at the NASA/California Institute of Technology's Jet Propulsion Laboratory (JPL).

"The vital research being done in the areas of space weather and nonlinear waves and processes has all too often gone unrecognized and unrewarded by the scientific community," Tsurutani said. "These are two emerging areas of science, and we would very much like to support their gaining prominence, both in public awareness and also in recognition. We felt an AGU award would do both of these things at the same time."

"Space Weather and nonlinear wave processes are currently at the forefront of space physics," Verkhoglyadova added. "We hope that this award will help to support and promote research in these fields." Tsurutani explained that hopefully the awards will help the recipients' careers, and, in turn, "will spur them on to even greater discoveries. Perhaps it may even stimulate graduate students to go into these areas," he added.

Tsurutani and Verkhoglyadova were

motivated to create the award as a way of giving back to the scientific community and to AGU. An AGU member for nearly 50 years, Tsurutani has been affiliated with JPL since 1972 and is currently a senior research scientist at the laboratory. He served as president of AGU's Space Physics and Aeronomy section from 1990 to 1992 and in 2009 received AGU's John Adam Fleming Medal, given for "original research and technical leadership in geomagnetism, atmospheric electricity, aeronomy, space physics,

an open access journal jointly published by AGU and European Geosciences Union.

Nonetheless, he and Verkhoglyadova expect space physics to be well represented in the award's nonlinear geophysics focus. "Most plasma waves that we study are indeed nonlinear," Tsurutani noted, listing phenomena such as magnetosheath lion roars, mirror mode structures, magnetospheric chorus and magnetosonic waves, plasma bubbles in the ionosphere, and interplanetary

"We hope that this award will help to support and promote research in these fields."

and related sciences." Before coming to JPL in 2008, Verkhoglyadova worked for 5 years at the Institute for Geophysics and Planetary Physics at the University of California, Riverside. Before that, she was a professor in the Department of Astrophysics and Space Physics at Ukraine's Kiev University, working on the Interball satellite project, a multinational collaboration to study magnetospheric physics, plasma waves and space weather.

While the first award will be for space weather research, the next award in the prize cycle will highlight nonlinear waves and processes, which are not exclusive to space physics and aeronomy. "This goes to all areas of geophysics. For example, ocean waves become nonlinear as they approach shorelines. An earthquake also is a nonlinear process," explained Tsurutani, who is also an editor of *Nonlinear Processes in Geophysics,*

shocks and Alfvén waves.

This new award strongly supports AGU's mission to promote discovery in the Earth and space sciences for the benefit of humanity, according to Carol Finn, AGU president-elect. "We are extremely grateful to Dr. Tsurutani and Dr. Verkhoglyadova," she noted. "Through their dedication and generosity we are able to recognize the extraordinary contributions of our members and their impact on society."

More details on the award, including nomination criteria, can be found at http://www.agu.org/about/honors/section_fg/joint_pr.shtml.

Mohi Kumar, AGU Staff Writer


Citation: Kumar, M. (2012), New award to recognize outstanding research in space weather and nonlinear waves and processes, *Space Weather*, 10, S02013, doi:10.1029/2012SW000776.

Selected new articles on the topic of space weather from AGU journals

Predicting Intense Geomagnetic Storms

Space weather forecasters are vigilant observers of solar disturbances that might produce extreme geomagnetic storms. Such events can wreak havoc on the power grids, communications systems, and satellites that support our technologically dependent society. Once a solar disturbance, such as a coronal mass ejection (CME), is detected, forecasters must try to predict when it will reach Earth and how severe a disruption it may cause. *Yue and Zong [2011]* have added to forecasters' arsenal of tools by creating a method for categorizing the size of disturbances based on the time history of the solar wind and CME properties (speed, density, and magnetic field) and on the orientation of the solar wind magnetic field relative to the CME shock. Their study, of 280 interplanetary shock events observed between 1998 and 2007, demonstrates that perpendicular shocks create more intense geomagnetic activity than parallel shocks. They also demonstrate that more intense activity results from preconditioning the magnetosphere with southward interplanetary magnetic field in the solar wind and CME sheath region that precedes the CME. While these results are not surprising, they will enable forecasters to use these patterns, together with models and upstream L1 observations, to more accurately predict the size of a geomagnetic disturbance.

Yue, C., and Q. Zong (2011), **Solar wind parameters and geomagnetic indices for four different interplanetary shock/ICME structures**, *J. Geophys. Res.*, 116, A12201, doi:10.1029/2011JA017013.



JESPER GJERLOV, PATRICK NEWELL


SuperMAG is a worldwide collaboration of organizations and national agencies that currently operate more than 300 ground-based magnetometers. Stations are shown in red.



SuperMAG Provides an Improved Auroral Zone Index

For many decades, global indices (such as K_p , AE , and Dst) derived from ground-based magnetometer observations have been routinely used to characterize the general level of space weather disturbances. As an auroral zone index, AE has been useful in identifying substorm onsets related to auroral activity level, geomagnetic variations that can affect power grids, and energetic particle injections in space that can affect spacecraft. Its use is limited, however, by the coarse geographic distribution of about 12 magnetic stations in a narrow high-latitude range covering 360° in longitude. To improve on AE , *Newell and Gjerloev [2011]* construct a new index, the SuperMAG electrojet (SME) index, which uses 100 or more sites from SuperMAG, the worldwide collaboration of organizations and national agencies that operates about 300 ground-based magnetometers. Offering improved spatial coverage, SME is better at detecting substorms; more important, *Newell and Gjerloev* find a strong correlation between the SME index and auroral power, even on a 1-minute time scale. They find that 75% of the variance in the nightside auroral power is predicted by using SME , a significant improvement over other techniques in use today. The authors also demonstrate a clear geophysical meaning for SME that represents the nightside auroral power dominated by the diffuse aurora.

Newell, P. T., and J. W. Gjerloev (2011), **Evaluation of SuperMAG auroral electrojet indices as indicators of substorms and auroral power**, *J. Geophys. Res.*, 116, A12211, doi:10.1029/2011JA016779.



NASA

A bright and expansive coronal mass ejection (CME) unfurled itself on 24 January 2007. As seen in SOHO's LASCO C2 coronagraph, the bright front emerged in the shape of an arc from behind the occulting disk but soon expanded into a ragged, bulbous shape with lots of structural lines inside it.